51194/F

The NEW and COMPLETE

BIRD-FANCYER:

OR

Bird-Fancyer's Recreation and Delight.

Containing the Newsst and

VERY BEST INSTRUCTIONS

FOR

CATCHING, TAKING, FEEDING, REARING, &c. all the Various Sorts of

SONG-BIRDS,

PARTICULARLY,

NIGHTINGALES, 20 CANARY-BIRDS, 37
LARKS, 32 BLACK-BIRDS, 57
GOLDFINCHES, 66 THRUSHES, 54
BULLFINCHES, 69 STERLINGS, 56
ROBINS, 44 LINNETS, &c. &c. 59.

Including, among other Particulars,

A full Account of all their several Distempers, and the best Methods of curing them. Likewise the surest Means of distinguishing the COCK from the HEN, and of learning them to sing to the greatest Perfection.

OGETHER WITH

Many other we ful Particulars relative to Singing Bir Ds. too numerous to mention in a Title-Page.

By Mr. WILLIAM THOMESON.

Late Gardener to the Duke of ANCASTER, and Author of New Gardeners Calendar; who has made the Management of BIRDS his favourite Study upwards of Twenty Years.


Affisted by the most eminent FANCYERS.

Embellished with a beautiful Frontispiece, elegantly defigned and executed.

LONDON:

Printed for ALEX. HOGG, at the Original Kinc's-Arms, No. 16, Pater-Noster-Row.

[Price only one Shilling.



INTRODUCTORY

PREFACE.

TO well executed work of this kind having yet appeared, treating wholly of Singing-Birds, we here present the Public with one, compiled from our own observations, and confirmed by the experience of others, who have been curious in the breeding and bringing up of Singing-Birds. And as nothing magnifies and fets forth the power of the Supreme Being more than these pretty harmless animals, whether we reflect on their velocity, beauty, or the variegated colours of their feathers, so, in every respect, they raise infinite delight and satisfaction to their keepers, and sweetly recompence their trouble and charge in bringing them up, by their pleasant harmony. We enjoy in our houses or aviaries, all the melody of the woods. We shall not pretend to answer a common objection, which some austere men (pretending A 2

iv INTRODUCTION.

(pretending to more humanity than their neighbours) make against the confining of Song-Birds in cages, &c. but by producing St. John as an example, who certainly thought it no crime,—if he had, he would not have confined a tame partridge for his own diversion. But certain it is, by this means numbers of these pretty creatures are nourished and protected from the inclemency of the weather, and preserved from the ravenous appetites of the several birds of prey.

We have no doubt but this Book will recommend itself by the many uncommon observations in it, being a more Complete and Elegant Work on the subject, than any hitherto published.

THE AUTHORS.

THE CONTENT

	1 5
THE Wood-Lark - Page	13
How to take them in January	16
To know the Cock from the Hen -	18
Of the Nightingale -	20
Concerning their Food	25
How to find their Nest and take it	28
A pleasant story of a Wood-Lark and Nightingale	30
The Sky-Lark	32
How to Feed them	33
To know the Cock from the Hen -	36
To take Branchers or Pushers	ib.
The Brancher	37.
To take the Sky-Lark in Flight	38
The Tit-Lark -	41
The Robin-Red-Breast -	
	44
What Diseases Robin-Red-Breasts are subject to, and	
how to cure them	47
The Wren	48
To know the Cock from the Hen	49
The large Tom-Tit, by some called Foe-Bent	50
The Red-Start	ib_
The Black-Bird	51
To know the Cock from the Hen	53
The Thrush, in some Countries called the Throstle	ib.
The Sterling	56
To know the Cock from the Hen	57
The Sparrow the Coch from the Hon	5.8
To know the Cock from the Hen	59
The Linnet	1b.
	town

CONTENTS.	vi
How to feed them -	60
To know the Cock from the Hen -	62
How to catch Branchers -	ib.
How to stop a Linnet, or any other Bird, and mail	e
them fing, after they have moulted off	64
The Goldfinch	66
To cure them when fick	68
To know the Cock from the Hen -	69
The Bullfinch	ib.
To find their Nests -	70
How to feed them	73
To know the Cock from the Hen	72
The Chaffinch' -	ib.
To know the Cock from the Hen	73
The Green-Bird	74
The Averdevine	75
The Twite	ib.
The Red-Pole	76
The Canary-Bird -	77.
How to chuse a Canary-Bird, and to know whether	r
be hath a good Song	78
To chuse a Bird in health	79
To chuse a Bird for Song	81
To know a Cock from a Hen	83
Concerning the Canary-birds, when they begin to build	
or those you intend for breeding	85
How to order them to build their nests	90
Of the several distempers incident to Canary Birds	,
and how to cure them	91
Several extraordinary Remedies for their Distempers	93
To order them when in Moult	.95
The Red Bird	99
- 6:	

Lift of NEW PUBLICATIONS, printed for ALEX. Hoge, at No. 16, Paternoster-Row, and sold by all Booksellers in Town and Country.

No. I. (To be completed in only Eighty Weekly Numbers, in large Folio, price 64. each, or the Overplus delivered gratis) of

HE Rev. Dr. WRIGHT's New and Complete BOOK of MARTYRS; or an Universal History of MARTYRDOM: Being FOX's BOOK of MARTYRS, Revised and Corrected, with Additions and great Improvements: from the very earliest Ages of the Church, to the present Period. Price 21. 8s. when handsomely bound.

No. I. (To be completed in only 36 Weekly Numbers, price 6d.

each, or the Overplus delivered gratis) of

The Rev. Dr. WRIGHT's New and complete Folio COM-MON PRAYER BOOK, including the New and Old Version of PSALMS, &c. &c. &c. with an Universal Exposition, Commentary, Paraphrase, Notes of Explanation and Illustration; for the Use of all Protestant Families whatever, and designed to promote the Cause of Piety and Virtue.

III.

No. I. (To be completed in only Eighty Weekly Numbers, in Large Folio, price 6d. each, or the Overplus punctually delivered gratis, this being the only full and fatisfactory Account (in this Size) of the whole Discoveries of this eminent Navigator) of

ANDERSON's Edition of Capt. COOK's celebrated VOYAGES Round the WORLD, with all the splendid Large Folio Copper-Plates, Maps, Charts, &c. accurately copied from the Originals. Now publishing in Six-penny Numbers, one or more of which may be had at a Time; the Whole intended to make a very large hand-some Volume in Folio, Price 21. 8s, bound.

IV.

No. I. (To be completed in only Eighty Weekly Numbers, in Octavo, price 6d. each, or the Overplus punctually delivered gratis, this being the only full and fatisfactory Account (in this Size) of the whole Discoveries of this eminent Navigator, printed Ver

batim from the Folio Edition) of

HOGG's OCTAVO Edition of Capt. COOK's celebrated VOY. AGES, &c. Round the WORLD, with all the spie did Copperplates, Maps, Charts, &c.—Therefore be pleased to observe, that the correct and genuine Octavo Edition is printed only for Mr. HOGG. No. 16, Paternoster-Row, in Sixpenny Numbers only, one or more of which may be had at a Time: The Whole intended to make Eight large handsome Volumes in Octavo, Price 21. 8s. bound.

No. I. (To be completed in only Sixty Numbers, in large Folio, Price 6d. each, or the Overplus punctually delivered gratis) of THORNTON'S New, Complete, and Universal HISTORY, DESCRIPTION, and SURVEY of the CITIES of LONDON and WESTMINSTER, the BOROUGH of SOUTHWARK, and the Parts adjacent, with all the late Improvements. Price 11. 168, peatly bound in Calf and Lettered.

NEW PUBLICATIONS, printed for ALEX. Hoggs

ΫI.

No. I. (To be completed in only Sixty Numbers, in large Folioprice 6d. each, or the Overplus punctually delivered gratis) of

WALPOOLE'S New BRITISH TRAVELLER; or, A Complete Modern Univerfal Display of GREAT-BRITAIN and IRELAND: Being a New; Complete, Accurate, and Extensive Tour through England, Wales, Scotland, Ireland, the isles of Man, Wight, Scilly, Hebrides, Jersey, Sark, Guernsey, Alderney, and other islands adjoining to and dependent on the Crown of Great-Britain. Now publishing in Numbers, one or two of which may be had at a Time; the Whole intended to make a very large handsome Volume in Folio, Price 11. 16s. bound.

VII.

No. I. (To be completed in only Eighty Weekly Numbers, at 6d. each) of

Mr. MASON's New and Correct Edition of the Rev. Mr. BUN-YAN's whole Works complete, with NOTES, &c. by Mr. Mason and others, and recommended by the Rev. Mr. RYLAND. These Works will make Six large Volumes in Octavo, Price 21. 6s. bound.

No. I. (To be completed in only Sixty Numbers, making Six handfome Volumes in Octavo, Price 11. 16s. bound, and now pub-

lishing Weekly, Price 6d. each) of

The NEW SPIRITUAL MAGAZINE; or Evangelical Treafury. &c. from the Beginning to the present Time, with the Heads of all the present popular Calvinistic Preachers, &c. in the established Church and among the Dissenters.

IX.

No. I. Price only Six-pence (to be completed in only 24 Numbers, in Quarto) of

The Celebrated ADVENTURES of TELEMACHUS, the Son of Ulysses, King of Ithaca, &c. in Greece, and one of the Princes who conducted the siege of Troy. Originally written in French, not only for the Use and Instruction of the Dauphin of France, to guard him, in an allegorical Way, against forming his Conduct after the bad Example of his Grandfather Louis XIV. but also to promote the Happiness of Mankind in general; by FRANCIS SALIGNAC DE LA MOTTE FENELON, late Archbishop of Cambray, in the French Netherlands. Now newly Translated from the best Paris and others Editions, by WILLIAM HENRY MELMOTH, Esq.


Mirs. Partridge's Complete Confestioner, 28.

XI.

Hogg's New and Complete English Farmer, 18.

Morgan's Complete Spertsman, 28.

A Familiar Letter of Reproof and Humiliation to Mr. Towle, &c.



NEW CATALOGUE o F

Valuable, Useful, Instructive, and Entertaining

B O O K S,

(Embellished with Elegant COPPER-PLATES)

Now Publishing by ALEX. HOGG, at the King's Arms, No. 16, Paternoster-Row, London;

Which may also be had by giving Orders to any of the Bookfellers or News-Carriers in Town or Country, at the undermentioned Prices.

Printed by the KING's ROYAL LICENCE and AUTHORITY.

No. I. (To be completed in only Eighty Weekly Numbers, in large Folio, Price 6d. each, or the Overplus delivered gratis) of

The Rev. Dr. WRIGHT's

Complete BRITISH FAMILY BIBLE:

Being a Work universally acknowledged to be the best Exposition and Commentary on the Holy Scriptures ever published. This New Work being just printed off, may

be had, handsomely bound in Calf and Lettered, in a large Folio Volume, Price 21. 8s. or in Eighty Numbers, at 6d. each, one or two at a Time, as may best suit the Choice or Convenience of Purchasers.

No. I. (To be completed in only Thirty-fix Weekly Numbers, in Folio, Price 6d. each, or the Overplus delivered gratis) of

The Rev. Dr. WRIGHT's

New and Complete Life of our bleffed Lord and Saviour JESUS CHRIST, and his Apostles, &c.

Being esteemed a most necessary Companion for every Christian Family. To accommodate the Public, the Work being just printed off, any Person may have it, Price, bound in Calf and Lettered, 11. 4s. or may be supplied with one or more Numbers at a Time, as is most convenient and agreeable.

No. I. (To be completed in only Eighty Weekly Numbers, in large Folio, Price 6d. each, or the Overplus delivered gratis) of

delivered gratis) of The Rev. Dr. WRIGHT's New and Complete

BOOK of MARTYRS;

Or, an Universal HISTORY of MARTYRDOM:
Being FOX's BOOK of MARTYRS, Revised and
Corrected, with Additions and great Improvements: From
the very earliest Ages of the Church, to the present Period. The Whole to be comprised in Eighty Numbers,
one or two of which may be had at a Time, Price 6d.
each, making one large Folio Volume, Price 21. 8s.
handsomely bound.

No. I. (To be completed in only Thirty fix Weekly Numbers, in Folio, Price 6d. each, or the Overplus delivered gratis) of

The

The Rev. Dr. WRIGHT's New and Complete Folio COMMON PRAYER BOOK,

Including the New and Old Versions of the PSALMS, &c. &c. with an Universal Exposition, Commentary, Paraphrase, Notes of Explanation and Illustration; for the Use of all Protestant Families whatever, and designed to promote the Cause of Piety and Virtue. The Whole of this Work, embellished with Folio Plates, and to be comprised in only 36 Weekly Numbers, making a large Folio Volume, Price, bound in Calf and Lettered. 11.45. but to accommodate all Ranks of Persons, the Numbers may be had one or more at a Time, Price only 6d. each.

No. I. (To be completed in only Eighty Weekly Numbers, in large Folio, Price 6d. each, or the Overplus punctually delivered gratis, this being the only full and fatisfactory Account of the whole Discoveries of this eminent Navigator) of

ANDERSON's Folio Edition of

Capt. COOK's NOYAGES, &c. Round the WORLD,

With all the splendid large Folio Copper-Plates, Maps, Charts, &c. accurately copied from the Originals. Now publishing in Sixpenny Numbers, one or more of which may be had at a Time; or the Whole making a very large handsome Volume in Folio, Price 21. 8s. bound.

- VI. . No. I. (To be completed in only Eighty Weekly Numbers, in Octavo, Price 6d. each, or the Overplus punctually delivered gratis, this being the only full and fatisfactory Account (in this Size) of the whole Discoveries of this eminent Navigator, being printed nearly verbatim from the celebrated Folio Edition) of

HOGG's Celebrated Octavo Edition of

Capt. COOK's VOYAGES, &c. Round the WORLD,

With all the splendid Copper-Plates, Maps, Charts, &c.—Therefore be pleased to observe, that the correct and genuine Octavo Edition is printed only for Mr. HOGG, No. 16, Paternoster-Row, in Sixpenny Numbers only, one or more of which may be had at a Time: or the Whole making Six large handsome Volumes in Octavo, Price 21.88 bound.

——VII.———

No. I. (To be completed in only Sixty Numbers, in large Folio, Price 6d. each, or the Overplus punctually delivered gratis) of

THORNTON's New, Complete, and Universal History, Description, and Survey of the

CITIES of LONDON and WESTMIN-STER, the BOROUGH of SOUTH-WARK. and the PARTS adjacent, with all the late Improvements.

Now publishing in Numbers, one or two of which may be had at a Time; or the Whole making a very handfome Volume in Folio, Price 11. 16s. neatly bound in Calf and Lettered.

No. I. (To be completed in only Sixty Numbers, in Folio, Price 6d. each, or the Overplus delivered gratis) of Dr. WILLIAM HURD's New and Complete

HISTORY of the RELIGIOUS RITES and CEREMONIES of all NATIONS;

Being a New and Impartial History of all Religions in the World.

Price, neatly bound in Calf, 11. 16s. or may be had in Sixty Weekly Numbers, one or two at a Time, Price 6d. each.

No. I. (To be completed in only Seventy Weekly Numbers, in large Folio, Price 6d. each, or the Overplus faithfully delivered gratis) of

BARNARD's New, Impartial, Comprehensive, and Complete

HISTORY of ENGLAND,

From the very earliest Period to the present Time. The Whole being just printed off, may also be had, Price, handsomely bound in Calf and Lettered, in a large Folio Volume, 21. 2s. or in Numbers, one or more at a Time, as is most convenient and agreeable.

No. I. (To be completed in only Eighty Weekly Numbers, in Folio, Price 6d. each, or the Overplus punctually delivered gratis) of

MIDDLETON's New and Complete

DICTIONARY of ARTS and SCIENCES,

Being a New CYCLOPÆDIA, with all the modern Improvements. The Whole being just printed off, may be had by fuch as wish to become possessed of this valuable Work at once, Price, bound, Two Volumes in One, 21.8s. or may be had in Eighty Numbers, one or more at a Time, as may best suit the Choice or Convenience of the Purchafers.

No. I. (To be completed in only Sixty Numbers, in large Folio, Price 6d. each, or the Overplus punctually delivered gratis) of

Walpoole's New BRITISH TRAVELLER; or, A Complete Modern Universal Display of Great-Britain & Ireland:

Being a New, Complete, Accurate, and Extensive Tour through England, Wales, Scotland, Ireland, the Isles of Man, Wight, Scilly, Hebribes, Jersey, Sark, Guernsey, Alderney, and other Islands adjoining to and dependent on the Crown of Great-Britain. Now publishing in Weekly Numbers, one or two of which may be had at a Time; or the Whole making a very large hand-fome Volume in Folio, Price 11. 16s. bound.

No. I. (To be fully completed in only Fifty Weekly Numbers, in large Octavo, Price 6d. each, or the Overplus delivered gratis) of

The NEW NEWGATE and TYBURN CALENDAR; or, MALEFACTORS Complete REGISTER and CHRONICLE of OLD BAILEY TRIALS, &c. from the Beginning of the Year 1700 to the present Time.

The Whole being just printed off, may also be had, Price, bound in 5 Vols. large Octavo, 11. 10s. or may be had in Numbers, one or more at a Time, Price 6d. each, as is most convenient and agreeable.

No. I. (To be completed in only Eighty Weekly Numbers, in large Folio, Price 6d. each) of

MILLAR's New and Universal

SYSTEM of GEOGRAPHY:

Being a Complete Modern History and Description of the WHOLE WORLD. To accommodate the Public.

the Purchaser.

- XIV. ----

No. I. (To be completed in only Ten Weekly Numbers, Octavo, Price 6d. each) of

Mr. PORNEY's New and Complete Collection of interesting

NOVELS and ROMANCES,

Newly translated from the French. The Whole comprised in only Ten Weekly Numbers, at 61 each, may be had by one or two at a Time. The Whole, however, being just printed off, may be had in a large Octavo Volume, Price 6s. neatly bound.

No. I. (To be fully completed in only Sixteen Weekly Numbers, at 6d. each) of

Mr. Fellows's New

History of the BIBLE in Verse,

Containing a New Poetical Relation of the Sacred History, from the Creation of the World to the full Establishment of Christianity.—Now publishing in only Sixteen Weekly Numbers, at 6d. each, or may be had neatly bound in Four handsome Volumes, Price only 10s.

No. I. (To be completed in only Eighty Weekly Numbers, at 6d. each) of

Mr. M A S O N's New and Correct Edition of the Rev. Mr. BUNYAN's Whole Works Complete,

With Notes, &c. by Mr. MASON and others, and recommended by the Rev. Mr. RYLAND. These Works make Six large Volumes in Octavo, Price 21. 63. bound, or may be had in Numbers, one or more at a Time, Price 6d. each, as may be most agreeable and convenient.

No. I. (To be completed in only Eight Weekly Numbers, Price 6d. each) of

MASON's New and Elegant Edition of Bunyan's PILGRIM's PROGRESS.

(Also published separate) with NOTES, &c. It may be had in one Volume, Price 5s. bound, or in Numbers, one or more at a Time, Price 6d. each. XVIII. --

No. I. (To be completed in only Ten Weekly Numbers, Price 6d. each) of

MASON's New and Complete Edition of

BUNYAN'S HOLY WAR,

(Likewise published separate) with NOTES, &c. It may be had in one Volume, Price 6s. bound, or in Numbers, one or more at a Time, Price 6d. each. _ XIX. __

No. I. (Price only Sixpence, to be completed in only Twenty-four Numbers, in Quarto) of

MELMOTH's Edition of the celebrated ADVENTURES of TELEMACHUS,

The Son of ULYSSES, King of ITHACA, &c. in Greece, and one of the Princes who conducted the

Siege of . Troy.

Originally written in FRENCH, not only for the Use and Instruction of the Dauphin of France, to guard him, in an allegorical Way, against forming his conduct after the bad Example of his Grandfather Louis XIV. butalfo to

promote the Happiness of Mankind in general: By FRANCIS SALIGNAC DE LA MOTTE FENE-LON, late Archbishop of Cambray, in the French Netherlands. Now newly translated from the best Paris and other Editions, by WILLIAM HENRY MEL-MOTH, Esq. Price 16s. neatly bound in Calf and Lettered; or in Weekly Numbers, Price 6d. each - XX. -

No. I. (To be completed in One Hundred Weekly Numbers, Price 6d. each, or the Overplus delivered gratis) of

Moore's New Universal Collection of VOYAGES and TRAVELS to all Parts of the World.

The Whole being just printed off, may also be had in Two elegant Volumes, Folio, Price 31. 3s. bound and lettered; or in weekly Numbers, one or more at a Time, Price 6d. each.

__ XXJ. -No. I. (To be continued Monthly without any Delay whatever, and embellished with no less than 3 Copperplates, finely engraved by the best Artists) of the

NEW LONDON MAGAZINE,

Being an Universal and Complete Monthly Repository of Knowledge, Instruction, and Entertainment: Containing more in Quantity, and a much greater Variety of New, Original, and Select Pieces (in Prose and Verse) on every curious and entertaining Subject, than is to be found in any other Monthly Publication of the Kind.

No. I. (To be completed in only Sixty Numbers, Price only 6d. each, or the Overplus given gratis) of.

XXII. —

MILLAR'S

MILLAR's New BODY of

NATURAL HISTORY;

Or, a Complete and Universal Description of BIRDS, BEASTS, FISHES, REPTILES,

VEGETABLES, &c. &c.

With an extensive Variety of Copper-Plates. Now publishing in 60 Weekly Numbers, Price 6d. each, one or more of which may be had at a Time, or the Whole bound together in Calf and Lettered, Price 11. 16s.

- XXIII. -

No. I. (To be completed in only Fifty Numbers, Price only 6d. each, or the Overplus given gratis) of

The Christian's Weekly Magazine,

Embellished with Portraits of the Archbishops and Bishops of the established Church, Views of all the Cathedrals, Monuments, &c. &c. This Work (containing a Collection of the most valuable Pieces, calculated to promote Piety and Virtue) being just printed off, may be had in Numbers, one or two at a Time, or the Whole neatly bound in 5 Vols. Price 11. 10s. XXIV. -

No. I. (To be completed in only Sixty Numbers, Price only 6d. each, or the Overplus given gratis) of

The NEW SPIRITUAL MAGAZINE,

Published Weekly, -And containing a valuable Treasury of Pieces on Experimental Religion, both Doctrinal and Practical.

Adorned with Portraits of the most eminent Calvinistic Evangelical Preachers in the Church, and among the Dissenters. This Work being just printed off, may be had in Numbers, one or two at a Time, Price 6d. each, or the Whole neatly bound in 6 Vols. Price 11. 16s.

- XXV. -

No. I. (To be continued regularly on the First Day of every Month, and embellished with no less than 3 most elegant Copper-plates, among which is a fashionable Pattern for some useful Article of Dress; together with a Song, set to Music by Mr. Hook) of

The NEW LADY'S MAGAZINE;

Or, POLITE, ENTERTAINING, and FASHION-ABLE COMPANION for the FAIR-SEX:

Intirely appropriated to their Use and Amusement. This popular and celebrated Magazine for Female Readers is univerfally read, and meets with the warmest Approbation in every Part of these Kingdoms, being far Superior in Composition, Utility, Novelty, and Elegance, to any other Publication of the Kind hitherto published, or now publishing.

N.B. The above Works are embellished with elegant Copper-Plates, defigned in a superior Manner by Messrs. Hamilton, Wale, Webber, Cipriani, Kauffman, Gwyn, Dodd, Carter, Metz, O'Neal, Griffith, Stothard, West, Edwards, Holbein, Vandyke, Kneller, and other Artists, and engraved in a splendid Manner by those renowned Masters, Pollard, l'hornton, Grignion, Walker, Page, Collyer, Taylor, Hall, Barto-lozzi, Rennoldson, Noble, Heath, Grainger, Golder, Hogg, Parker, Sherwin, Sparrow, Trotter, Morris, Smith, Kitchin, Bowen, Conder, Hawkins, Peltro, Clowes, Sibelius, Eastgate, Lowry, Warren, and others.

Also Printed for ALEX. HOGG, at the King's Arms, No. 16, Paternoster-Row, and fold by all Booksellers and News-Carriers,—the following Articles, embellished with Copper-plates.

Brown's Complete English Letter-Writer, 2s bound Brown's Young Man's Companion, 18 Davidson's Arithmetic and Mensuration, 28 6d bound Mrs. Price's new Book of Cookery, 1s Worthington's Family Prayers, 3s bound Worthington's New Week's Preparation, 1s bound Bettefworth's new Ready Reckoner, is bound Bettefworth's new Tables of Interest, 18 6d bd. Bettesworth's Arithmetic, 6d Mason's Life of Bunyan, 6d Melmoth's new Universal Story-Teller, 3s bd. Melmoth's new Roman History, 3s bound Melmoth's new Grecian History, 3s bound

Mr. HOGG's CATALOGUE of NEW BOOKS.

King's new Londo 1 Spy, 18 6d King's new Covent-Garden Register, 28 The Farmer's Wise, a valuable Book of Housewisery, 1s 6d Gordon's Family Physician, 28 Maple's Horseman's Sure Guide, or complete Horse Doctor, is The new Art of Speaking, price only 2s Palmer's new English Spouter, or Spouter's Companion, 1s Vernon's New London and Country Songfler, 18 Arnold's new History of America, 3s 6d bound Francis Quarles's Emblems, complete, with Copper-plates, 7s bd. Francis Quarles's School of the Heart, 5s bd. Fellows's Grace Triumphant, a Poem, is 6d Fellows's new Protestant Alarm, 28 6d Fellows's Hymns in Various Metres, 4d Fellows's Hymns on Baptism, 18 Murray's new History of Scotland, 3s. bound Mrs. Partridge's Book of Cookery, 6d The Town and Country Jeller, 18 Sir John Fielding's Jeffs, 18 Cumningham's new Jest Book, 6d Middleton's Abridgment of the History of England, 3s bd. Mr. Freeman's Lover's New Guide, 18 Gitton's Pigeon-Fancier, 18 6d Price's Whole Art of Confectionary, 2s Thompson's New Bird-Fancier, 18 Thomson's new Gardener's Calendar, 15 Hegg's New English Farmer, 18 Morgan's Complete Sportfman, 3s bound A Clergyman's Letter of Reproof and Humiliation to the Rev. Mr. Towle, &c. 286d Powell's New Universal Fortune-Teller, 18 Stanhope's New Polite Tutores, 18

* * The COPPER-PLATES and Execution throughout of other Works of the above Nature, having been rather a Difgrace than an Embellishment, we have totally obviated that Imperfection by employing the most renowned Artists in these Kingdoms; whereby our Copper-Plates, being finished with superior Elegance, Correctness, and Uniformity, will justly correspond with the Dignity and Elegance of the Works they are intended to embellish, and will exceed in Value many fold in the Print-Shops at 3s. each. - A very liberal Allowance made to all Merchants, Captains, &c. who purchase an Assortment of the above Variety of Articles for America, the East and West Indies, &c .- And it is worthy of Remark, that all Country and Town Booksellers, Stationers, Dealers, &c. find it greatly to their Advantage constantly to keep an Assortment of the above Books for Sale, as they are generally preferred by the Public to all other Articles of the Kind; and by ordering the Payment of Ready Money, on delivery of the Parcels in London, the very lowest Prices will be charged by the Publisher, who gratefully acknowledges the preserence which is given to all his various new Publications, by the Public at large.

The NEW, UNIVERSAL, and

Complete BIRD-FANCIER.

The WOOD-LARK.

lodious bird, having a delightful variety of notes, and is thought by some bird-fanciers to exceed the Nightingale. I have heard him sing against a Nightingale a whole hour, striving to outdo him, so that I have been forced to take him from the place where he hung, for fear he should kill himself.

He sings nine months in the year; and and is a very plentiful bird about the beginning of September or Michaelmas: he is to be taken with nets called clap-nets, such as are made use of to catch linnets, or other small birds, and those that are catched at this time of the year, are rec-

B

koned

koned to be the best, because keeping them all the winter makes them more familiar than a bird catched in January or February, and holds its fong longer in the summer: a bird catched in January, is generally very stout, and will sing in three days after he is taken, and commonly fings stouter and louder than a Michaelmas bird, but not hold his fong fo long. A bird that is taken in February, at his layer, when he is matched with his hen, I have heard fing as foon as taken, all the way in bringing home; but by reason of his rankness will soon fall off his fong, and you will have but little more from him all that fummer.

There is likewise another way of taking Wood Larks, that is in June or July, and are called branchers, which is a young bird that has been hatched, and flew that year about two or three months old; these you may take with a net of about eleven, twelve, or thirteen yards long, and about three or four yards broad, with a line run through the middle of it. You must likewise have a Hawk called a Hobby, or a Casterel, or a Wind-Haver; there must be two at this sport, one to carry the

the Hawk, the other to hold the end of the line; and when you find a flock of Wood-larks, which lie commonly in pasture land or by gravel pits, get as near as you can; then show your Hawk, making him flutter his wings, which when the Larks perceive, they will lie very close to the ground; then one take hold at one end of the line and the other at the other end, till you both come to the place where they are, holding your Hawk up as you go. I have known them lie for close in fear of the Hawk, that they have been taken up by hand without the net. being over them. Those are pretty birds, and will be presently tame, but, in my mind, is not so good as a Michaelmas bird, which you may take at that time very plenty with clap-nets, as you do other small birds, having one in a cage to call them; if you lay your nets in a cartway, or turn up the ground, it will entice them to drop, especially when they hear your call-bird, which should be placed by the staff, next to the line. Pitch your nets upon as high ground as you can, for Wood-larks fly very high at that time of the year,

B. .2

How

How to take them in January.

HEY commonly lie near a woodfide in pasture-ground, where the sun rises. You must lay your clap-nets as. you do at Michaelmas, and have a good call-bird and a brace-bird, which place betwixt your nets; when you perceive the bird lower, then shew your bracebird, which when he fees he'll prefently drop to it: those birds that are taken at this time of the year, are almost as good as any, and fings in three days time after they are caged off. Bruise them hemp seed, or grind it very fine, and mix it with bread; put in about half as much hemp feed as bread at the first, then put some red gravel in the bottom of the cage, and when you have mixed your bread and hemp-seed very well, throw some of it upon the gravel, for they will sooner choose, when they are first taken, to feed in the bottom of the cage than in the trough; I commonly throw them some victuals for two or three days, and likewise some victuals in the trough; when you perceive them feed heartily out of the trough,

trough, then there is no occasion to put any at the bottom; this is my way of feeding them when they are first taken; and when he is come to his meat, I give. him but a very little hemp-seed, and boil an egg very hard; either grate it with a grater or chop it very fine, but grating is the best, and mix it among the bread and hemp-seed and maw-seed; one egg will. serve six Wood-Larks very well two days. I feed them every other day, and if they have then any victuals left, I throw it away and give them fresh, because it is apt to be stale or dry, and will spoil the fresh meat. I give them likewise a little sheep's heart, mutton, veal, lamb, or any fort of flesh meat boiled or roasted, if it be not falt or too much done. This is the only food that I feed them with, when they are well. If I find them out of order, I give them some meal-worms or hoglice, not exceeding above two or three in a day, because if you give them too many they will hanker after them, and neglect: their common food, for too many are not wholesome. If I find them troubled with a looseness, I grate some chalk or cheese in the bottom of the cage, or amongst their.

18. The NEW and COMPLETE

their victuals, and instead of gravel put mould full of ants at the bottom of the cage, which I take to be the best live food

you can give them.

If he don't sing so free or stout as you would have him, put a little stick liquo-rice and a blade of saffron in his water, which will clear his voice and make him sing stouter.

To know the Cock from the Hen.

SOME say by the length of his heel, and also by the largeness of his wing, likewife by his setting up the crown upon his head; others say, that if he double his call two or three times, he is certainly a cock, but I find all those ways groundless; I therefore think mine the surest method, which is, by the length of the bird, the longest being generally a cock. However, when you have taken them, single them off in cages, and if they are good birds, they will sing in a few weeks.

This is the best bird that is kept in a cage, except the Nightingale. He has such a curious, fine, melodious song, that he'll take from no other bird, unless those

brought

brought up from the nest, which may be

taught with a pipe.

This is a hot-mettled bird, and breeds very foon in the year; I have known them fly by the 25th of March. If you have a mind to bring them up, you may feed them with Nightingale's victuals mixed with a little hemp-feed bruised, or a little sweet almond; let them be very well feathered before you take them, or you will find it very difficult to bring them up. When you take them tie them down in a basket, and give them four or five bits at a time once in two hours, according as their stomachs will bear it; they are very subject to the cramp, and very hard to moult, and be sure you give them plenty of Nightingale's food, for I find that is the best to make them moult. In my opinion, it is not worth while to bring them up from the nest, unless you defign them for the pipe, their own fong being so very soft and melodious. I have known some so tame that were taken at Michaelmas time, that they would eat victuals out of a man's fingers, and play with him as if they had been brought up from the nest.

Of the Nightingale:

the best of Song-birds; and the strength and sweetness of his voice to exceed that of any other. He will sing seven or eight months in the year; beginning about the end of October, and continuing till the end of June. I have heard one sing for half an hour against a Wood-Lark, and I thought he would have dropt off his pearch; by reason of his stoutness and freeness, rather than be out-done.

These birds are never seen in the winter, (except those kept in cages) in any part of the world, as far as I can learn from travellers I have conversed with, which occasions various opinions where they go at that time; and, as I believe no one can give a true account of them, I shall say nothing about it, but content myself with the knowledge I have.

This bird may be caught about the 25th of March, or the beginning of April, until the 10th or 12th, which generally proves a cock, and about that time the hens come, which make him very rank,

so that without a great deal of care, you will loose a great many that are catched after that time. You may catch them divers ways, at several seasons of the year; that is to fay, you may catch branchers in July, or the beginning of August, but | I think April is the only time for the best birds. There are several ways used in catching these birds; one way, by making a hole in the ground, and fetting a board or tile over it, sticking two or three meal-worms upon the stick that holds up the board or tile, and the bird coming with eagerness to catch the worm, falls down in the hole, and cannot eafily get out again. Another way of catching them, is, by making your observations where they fing, and beating the leaves away as much as you can; then take a bit of a stick, put the meal-worm upon a pin, and stick the pin upon a lime-twig; then lay it upon the top of a stick, and when he comes to his place as before, and fpies the meal-worm, he greedily comes to take it from the lime-twig, which holds him so fast that he cannot move. But the best way of taking them, in my opinion, is in a little trap, called the Nightingale's

tingale's trap. I myself have taken a dozen in one day in this trap; it is about the bigness of a round trencher; I have them made with a green filk net, a watch fpring, and a wire as round as the trencher, with the net fastened to it; there is a little cork that comes through, and a little string which comes through likewise, and holds up the trap, in which stick a pin with a meal-worm upon it, and your cork very flight in it, and when the bird pulls the worm, the net falleth on the topof it: you must place your trap as near where the bird fings as you can; if it is in the middle of the hedge, or a place where he used to feed, before you fix the trap, turn up the earth about twice the bigness of the trencher, for they look for their food where the ground is new turned up, and feeing the worm they presently come to it, but if they come not for foon as you would have them, you may turn up twice or three times more, for they will not forfake the place where they use to resort. You may commonly find them by the fide of a chalk and fandy hill; likewise in a wood, coppice, or quickset hedge. When you have taken a bird; tie:

tie his wings together with a bit of thread, for they are of a very wild nature when they are first catched, but soon become tame and familiar to their keeper. When you have tied their wings at the end as foon as taken, pluck or cut the feathers from their vent, otherwise it will be subject to clog and bake up, which is present death.

When you go to catch them, take some sheep's heart and egg with you, and in two or three hours after taken, you must cram them, by opening their bills with a quill or a stick made for that purpose. Let your meat be very moist, and take the bigness of a great pea, and they will presently swallow it; you may give them three or four, according as they take it; you must give them about the same quantity once in an hour and a half, or two hours at farthest; when you get them home put them in a cage, a Nightingale back-cage, or if an open cage, throw a cloth over one side of it, and when you have crammed them for a day and a half, put a small quantity of meat in their pan, or a jelly glass, and stick it full of ants, and sweep some ants upon it (which you may fix

24 The NEW and COMPLETE

fix between the lower pearch and side of the cage) so that they cannot easily get out, which will foon learn them to feed, but be sure you do not trust them to themselves too soon, and put ants mould at the bottom of the cage; let it be almost an hour before you put the victuals to him; after you have crammed him, and put him to the light, then he will the fooner take to his food, so you may let him alone for a quarter of an hour, or near half an hour, and then if you find he has eaten the ants out of his meat, fill it up again: take them clean out of the mould, not to daub the victuals; your best way will be to take a little of the ants mould, and lay it upon a sheet of white paper; when you stir the mould a little, the ants will run about the paper, then with your finger, or a little brush, move them off into his victuals.

As foon as you perceive him to feed, you need not cram him any more, but still continue to supply him with ants for one day longer, or more, if you see occa-

You must still continue to keep his wings tied, and you'll find if he is a kindly

bird,

bird, he'll fing in a week's time. I have heard them fing the next day after they fed themselves; when you find they begin to be familiar, then hang them where

you please.

There are several opinions as to the choice of this bird, some are for a nestling, and others for a brancher, but I am for a bird that is catched in the beginning of April; I have brought up several nestlings which sing very stout, but they are apt to take any note they happen to hear; as likewise will a brancher; but a bird catched in April, will sing nothing but his own natural song, which I am persuaded, is the finest harmony that any bird can make.

Concerning their Food.

Have heard people talk of feeding them several ways, one way is with a paste that they make in Germany; there is also another sort of food that is made up of paste and herbs, and a little slesh meat amongst it, which will keep for near a week: but I know a gentleman who had some of this paste, and gave an extraordinary

extraordinary price for the bird, which when he ate off, he foon after died.

My way of feeding is with sheep's heart and egg, thus: I take a heart, and give it them in the summer-time raw, chopped very fine, and likewise boil an egg very hard, so that I can grate it with a grater, which I have for that purpose; I put one large egg to one heart, and chop it extraordinary fine, and having a little water to sprinkle it, I mix it together till it is as thick almost as a salve, but moist withal; for if it be too dry, it makes them vent bound, and if too large, they cannot digest it; you must also take great care not to leave any string in the heart, for it is apt to get about the tongue; I have had them die within twenty-four hours, before I understood what was the matter; you may know it by their gaping, and making a motion as if they would vomit, at which time, if you perceive it, take hold of him, open his mouth, and draw it away with a needle, if possible; and when you have done, give him a mealworm or a spider. I have faved more birds by giving them spiders than any thing again, but I do

not give them above two in one day; this is the only food that I find to preserve them. If your number be but small, half an egg and half a sheep's heart, or or if you have but one, the quantity ac-

cordingly.

You may take a fowl's heart, with about as much egg as the heart, which will be enough for one bird a whole day. In the winter I parboil the heart, and then order it as I do the raw, except, instead of water, I use some of the liquor the heart was boiled in, but be sure you do not let any of the fat go amongst it. I give them fresh victuals every day, for if it begins to be stale, they are apt to fling it up, for they do not love it after it begins to smell. I put them ants mould in the bottom of the cage, which I generally shift twice a week; this is all I feed them with when they are well. They are birds that always dung loofe, and if I find their dung a little looser than ordinary, I take a little hempseed, bruised or ground extraordinary well, and take about the quantity as will lie upon a filver groat, and mix it well with a sheep's heart and egg; you may, if you please, give them now C 2 and

and then a fig, or a bit of fine loaf-sugar. It might be expected that I should describe how to know the cock from the hen, but that being dissicult, I shall only say, that the best way is to know them by their vent, in April: or, as by all other birds, their largeness, or when you hear them sing.

How to find the Nightingale's Nest, and take it.

SHE builds commonly in a close quickfet hedge, at the comb of the ditch, where there is great store of briars, and other materials, to keep her from her enemies.

She builds a nest of a different kind from any other bird; she has young ones about the middle of May sit to take; I would not have you take them too young, but let them be very well feather'd. I have had them taken too young, when they are very subject to the cramp and looseness, which makes their feathers all matted together; when this happened I could never raise them. You may let them lie in the nest till they can sly al-

thing

most as well as the old one: if they be fullen, you may open their mouths, as I told you by the old one, and give them three or four bits at a time, and tie them close down in a basket for two or three days, and feed them once in two hours, then cage them up, and in two or three days they'll take their victuals off the stick. I have had them feed themselves in three days after they were taken out of the nest. Feed them with nothing but raw sheep's heart and egg, as directed before; while they are young put a little straw or dry moss in the bottom of the cage, but when they come to be larger, give them ants mould as you do the old one. I likewise advise you to learn them to feed upon live food, as ants, spiders, slies or meal worms; don't give them a great deal of live food, but in case of sickness it is necessary. I raised thirty-one Nightingales in one summer, and lost not one before they moulted. Several fanciers of Nightingales came, and would not be persuaded but they were either branchers or old ones, because they were raised so clean. This makes me a little curious, because if the Nightingale is not kept clean, he seldom or never comes to any

30 The NEW and COMPLETE

thing; as foon as they come to feed themfelves well put them in a cage, and in
two or three days put a faucer of water,
where they will dabble and wash themfelves, and be as clean as any birds in
the fields. When you have had them in
fingle cages two or three days, you will
hear the cocks record.

A pleasant Story of a Wood-Lark and Nightingale.

A Nightingales near Shooters-hill, hard by a coppice or wood-fide, heard a Nightingale fing fo fweetly, as, to my thinking, I never heard the like in all my life, (though I have heard many in my time) for the place being in a valley, and the coppice on the fide of it, made all the notes of the Nightingale feem double by the eccho; we had not staid there long before a Wood-Lark perched upon the twig of an Oak, and strove with his melodious notes to outvie the other; in a very little time comes another Wood-Lark, and placed himself about an hundred

dred paces from the first; and under him was another Nightingale; these four birds fung with fuch sweetness, and warbled out their songs for near an hour in such delightful strains, that I think it impossible for any musical instrument to equal their ravishing harmony. As foon as the Wood-Larks were gone, the Nightingales, as we supposed, went to refresh themselves, having played their parts so well, that they must be near spent before

they left their station.

My friend and I having stood a full hour to hear these songsters; before we left the place, I persuaded him to sing a merry catch under the shade of the wood, which he had no sooner begun, that one of the Nightingales came and bore his part: and in a minute's time came the other likewise, still keeping their former stations, my friend and I standing between them, for it is observed by all that know the nature of the Nightingale, that he will suffer no competitor if he his able to master him, and will sometimes rather die than give out; thus he fung three or four merry fongs, the birds joining in chorus all the time, raising and falling

32 The NEW and COMPLETE

falling their notes as he did, at which he was so highly delighted, that he protested he never enjoyed more pleasure in all his life; for the coppice being on the side of a hill, and a valley in the bottom, occasioned such a sweet and pleasant eccho, that I am consident none could think the time long in attending to such delightful harmony.

The SKY-LARK.

THIS is a very flout bird, lavish in his song, and sings eight or nine months in the year; he is a very good bird, if he can be kept from hearing other birds, for if he does, he is a perfect mock-bird, and will take what he hears, whether good or bad, especially them that are brought up from the nest, which I take to be the best, provided you can get a good song-bird to bring them up. I have known them sold for five or six guineas a bird. They are very long lived and very hardy. I myself have bid twenty shillings for a bird that was twenty years of age. They have young ones about

bout the middle, or latter end of April; and breed three or four times a year, but I look upon a bird that is hatched in April or May, to be the best. They commonly breed in sields of high grass, or in the marshes.

I have found them in a wheat-field, or in peas or oats, according to the season of the year. I have likewise taken them

upon a Common or Heath.

How to Feed them.

about ten or twelve days old; if they are older they are apt to run out of their nest. I have seen them run out in ten days in dripping weather. When you have taken them, put a little hay in a basket and tie them close down, as I told you by the Wood-Larks, and take a little white bread and milk, and boil it very stiff, so that it be as thick as a poultice. I likewise take some rape-seed, and soak it three or sour hours in water, and boil it up, and either grind or beat it in a mortar, or with a glass bottle upon a table; take about a third part of rape-seed to the white

white bread and milk, and feed them once in two hours; give about five or fix bits to each bird, mixed every day with fresh victuals or it will grow sour and spoil them. I likewise give them now and then a little flesh meat, sheep's heart, &c. You must put them in a cage as soon as you can, that is to fay, keep them three or four days in a basket, or a week if they are young, then take a little hay, cut it very short, and put it in the bottom of the cage, or else a little coarse bran, but I prefer hay before it, because they are apt to drop their victuals in the bottom of the cage; and when they pick it up again, pick some of the bran, which does them no good. You must turn their hay up, or shift them once a day, for if you do not keep them clean, they feldom come to any thing. They require a large cage. I have never any smaller than a foot square. I keep them in hay till they can feed themselves with dry meat; which is, bread, egg, and hemp-feed, which they will do in about three weeks or a month. When you put them first in a cage, show them their victuals upon the point of a stick made for that purpose. This will make

make them learn to feed themselves, and likewise tame. I have brought them up so tame, that they would follow me about the house, and sit upon my hand, which indeed is a great rarity in a Sky-Lark. When they come to feed themselves upon dry meat, you must boil your egg very hard, so that you may grate it with a grater, or chop it, as I told you, by the Wood-Larks, you must bruise your hemp-seed at first and put about half as much hemp-seed as egg; one egg and the quantity of a half-penny loaf, will ferve half a dozen birds. When they are young I serve them every day; and when about a month old, I put them some fine dry gravel at the bottom of the cage with a turf of three-leafed grass. I still stick them a little foft victuals at the fide of the cage for fear they should pine after it, for when they take to eat dry victuals, they'll leave off the other of themselves. This is all I feed them with, except a little flesh meat now and then, and bruised hemp-seed, 'till they have done moulting, then I feed them only with a turf of three-leafed grass once a week, and every other day bread, egg, and a little whole hemp-seed. To

To know the Cock from the Hen.

SOME will tell by his long claw, o-thers by the two white feathers in the tail, and others by fetting up his copple crown, but none of these ways are certain. The largest and longest birds in the nest I always found to be cocks. There is no certain rule to know them by, but only the bigness and largeness. The best way is to take the largest bird and put it in a cage by itself, and then you'll hear him record his song by that time it is three weeks or a month old; the hens will make some small noise, but not any thing of a fong. I have had cocks at a month old, get into one corner of the cage, and repeat all their notes over like the old one, but not fo. loud, and those birds that do so, you may depend upon to be cocks. .

To take Branchers or Pushers.

A Pusher is a bird that is taken three or four days after he has left the nest, if you let him lie till he's run out, then

then place yourself in a hedge, or in any convenient place where you may see the old one bring him meat, which when you perceive, run upon him as fast as you can, by which means you will find the young ones. As foon as you have got them, put hay at the bottom of the cage, and feed them with flesh meat, bread and milk, and rape-feed, as I told you before of the nestling. This bird, in my opinion, is as good as a nestling.

The Brancher.

HIS bird is taken in June or July with a hawk and a net, the same

way as Wood-Larks.

A Brancher is a bird full grown, but has his nestling feathers; I look upon these birds to be very good, and come little short of a nestling or Pusher; they are not so well to take when moulting, nor after they have moulted and their feathers set. In this case they will not moult well that year, nor, in all probability prove so good.

Chuse the longest and largest bird for the cock. When you have taken them

give them bread, egg, and bruised hemp-seed; put at the bottom of the cage red sand, and strew them a little meat upon it for three or four days, and they will soon become tame and familiar.

To take the Sky-Lark in flight.

HIS bird is catched in the same manner as other small birds are with a clap-net. In the country about Dunstable, and several other places, they are taken with a glass called a Larkingglass. These glasses are made near the bigness and shape of a cucumber, hollow within, and three, four, or five holes cut round and pieces of looking-glass placed in; it is fixed by a staff, and runs out like a whirligig, having a line which comes where we stand at a pullpin, we work it backwards and forwards. This must be when the fun shines, as the Larks will play the better, for the glass glittering, and the birds hovering about and feeing themselves in it, makes them come down to it; as foon as they come within reach, pull the nets over them.

By this method, a great number of them

may be catched at one time.

The Sky-Lark is likewise taken in dark nights, with a net called a trammel; it is about twenty fix or thirty yards long, and fix over, run through with fix ribs of packthread, which are placed at the ends, and put upon two poles sixteen feet long, made taper at each end, and is carried between two men half a yard from the ground, every fix or seven steps touching the ground to cause the birds to sly up, otherwise you will carry the net over them without disturbing them. When you hear them fly against the net let it fall, and you may be fure they are safe under it. This net is of fuch a nature, that it catches all forts of birds, such as Partridges, Quails, Woodcocks, &c. I have known twenty dozen of Larks catched in one night.

Another way of taking Larks is in a great fnow; take one or two hundred yards of packthread, and at every fix inches fasten a noose made with horsehair (two hairs twisted together is sufficient) at every twenty yards you must have a little stick thrust into the ground, and so go on till it is all fet; fome have a thou-

fand

40 The NEW and COMPLETE

fand yards. Amongst the nooses scatter some white oats from one end to the other, and you will find the Larks slock very fast; and when three or sour are caught take them out, otherwise they will make the rest shy, and when you are at one end, they will be at the other feeding, so that you need not fear frightening them away, for it makes them more eager at their sood; if it be after Christmas before the snow fall, those birds seldom or never prove good for singing.

This is a very fine, hardy, strong bird, and seldom sick, if you let him have a turf of three leafed grass once or twice in

a week.

If you find him out of order, that is, the dung loose, grate a little Cheshire, or other cheese, in his victuals, and give him some wood-lice, three or four in a day, which is very good: likewise put a little liquorice, and a blade of saffron in his water, which is very good, and will make him sing clear; if this will not do, give him now and then a spider. This is all that is needful for a Sky-Lark.

The TIT-LARK.

COME of these birds are exceeding good fong-birds, while others of them are worth very little. They are very proper birds to be kept with Sky-larks, or young canary-birds; they take great deliberation in their fong; some of them will chew, whisk, weet, and rattle to a great length; they will likewise run their feef and their snee-jug, and twink two or three ways, and such a bird as this is of great value for raising other birds under; they are very handsome, long, taper birds, much about the fize of a Nightingale; they do not fing above four or five months in the year, that is, March, April, May, and June, and some in July. These birds are very hardy, but I think them not worth while to bring up from the nest, by reason they are caught from the 25th of March, till the 10th or 12th of April: You catch them with nets, called clap-nets, as you do Linnets, or other small birds. If you catch them later they grow rank, and will hot fing much in a

D 3

cage

cage that summer. As soon as you have catched them, tie their wings as you do a Nightingale's. You must have a cage closer than a common Wood-lark's cage. Put a little ant's mould with ants at the bottom of the cage; for his victuals, take a little of the best bread, grate it with a grater for that purpose, take about half the quantity of bread as hemp-seed bruised very fine, then mix it up with the bread, throw a little in at the top of the cage, and when your bird sees the ants, he'll come down and feed on it presently; in about an hour's time, you may look whether he has been eating bread and hemp-seed; if not, strew another handful of your ants and mould in the bottom, and a little more bread and hemp-seed on the top of it; if you find this will not do, take two or three meal-worms, cut them in half and put them in the bottom, amongst the bread and hemp-seed; set him in a light place, where he may not be difturbed; you may be fure this will make him feed. Keep him to his victuals two or three days, and then feed him as the Sky-Lark, or Wood-Lark, only bruise the hemp-seed, and he will sing in a week

week or ten days time. I have heard them fing the second or third day after they were caught. This bird may likewise be taken with lime-twigs, thus: carry a callbird of the same sort, and when you have found a Tit-lark to your mind, place your call-bird fix or seven yards from the tree where you hear him fing; if you find a mole-hill or ants-hill, dig it up, and put your call-bird just by; set three or four lime-twigs round your cage, place the great end of the lime twig upon the ground, and the other against the cage; they will run very much about the call-bird in the cage, and a great chance but fome of the twigs will lay hold of him. Place yourself in a hedge, as private as you can, and as foon as you find him fast, run, for I have lost many before I could get at them.

If you are obliged to set in high grass, take a stick about a yard long, put a nail into the stick, almost at the top, and hang your cage upon it, then lay two or three twigs upon the top of your cage, the end of the twigs to come over it, and when they come to settle on the top of the cage, if you lay your twigs well,

44 The NEW and COMPLETE

well, they certainly will be taken. When you have taken them, tie the wings, and manage them in the same manner as those that are taken in the nets. These birds breed amongst the grass, peas, or beans, and those who are desirous to bring them up from the nest, must feed them in the same manner as you do a Wood-lark. It may be expected I should give some account how to know the cock from the hen, but it being a dissicult thing, must refer you to find them out by their finging, which will foon be perceived in neftlings by their recording. This is all that is needful concerning the Tit-lark.

The ROBIN-RED-BREAST.

THE Robin-Red-Breast, is the next to the Wood-lark for a song bird; he sings very sweetly, and some think him little inferior to a Nightingale. This bird is seen in the winter upon the tops of houses and old ruins, on that side commonly that the sun riseth and shineth in the morning; or under some covert where

where the cold and wind may not pinch him, for he is a tender bird. We commonly put them into a Nightingale's or Wood-lark's cage, only closer. They breed very early in the spring, and commonly three times in a year, in April, May, and June; they make their nest with a dry greenish moss, and quilt it with a little wool and hair, have generally five or fix young ones at a time, seldom less than four. They build in old houses, barns, hay-ricks, or bank-sides towards the top, and when they are about ten days old you may take them from the old ones, and keep them in a little balket or box; if you let them tarry two long in the nest, they will be sullen, and consequently much more troublesome, and not fit to be brought up under another bird, or whistled to. You must feed them with sheep's heart and egg minced small, in all points as you feed Nightingales, and but a little at a time, and pretty often, by reason of its bad digestion; for if you give them too much at a time, they will be very apt to throw it up again, which is a fign they are not long-lived. You must be careful to keep them warm,

and especially in the night; when you find them begin to be strong, you may eage them and let them have some moss. at the bottom of the cage, put the meat in the pan or box, both of the sheep's heart and egg, and let them have something of the Wood-lark's mixed meat by them; for those I brought up with sheep's heart and egg, when they came to feed. themselves, would rather eat the Woodlark's meat than the sheep's heart and egg; you may give them which you will, according to your conveniency. A Robin. will not touch a hairy caterpillar, but will. gladly eat any smooth one, and there is no better way to tame, and make wild birds fing, than to give them a pleasing insect or two. They are neither a slender nor thick billed bird, but gladly eat spiders.

A Robin is taken with lime-twigs, but with a trap-cage and meal-worm you may take a great many; and if you hear one bird excel another, take the bird you have most mind to and cage him, and he will sing in a short time, provided he be not an old bird. If you take a bird and do not hear him sing, by this mark you may know whether he is a cock or hen;

if a cock, his breast will be of a brighter red than the hen, and his red will go farther upon the head.

The Diseases Robin-Red-Breasts are subjest to, and how to cure them.

IN the first place, he is very subject to the cramp and giddiness, which makes him often fall off the perch upon his back, in which case it is present death, without something speedily used. The best remedy to prevent him from having the cramp is to keep him warm and clean in his cage. that his feet be not clogged, for the dung being bound on so fast, makes his feet and nails rot off. If you find him droop, and seem sickish, give him three or four meal-worms or spiders, which will refresh him very much; but for the giddiness in the head, give him fix or feven ear-wigs in a week, and he will never be troubled with it; Robins, above all others, except the Bullfinch, are very subject to it. If you find he has little appetite to eat, give him now and then fix or seven hog-lice, which you may find in any piece of old rotten wood; he fure

fure to give him fresh water two or three times a week; and to make him chearful and long winded, give him once a week in his water, a blade or two of saffron, and a slice of stick liquorice which will help his song or whistling very much. This is a very fine bird, I have known them learn to whistle, speak, or pipe.

The WREN.

a very loud fong, and fine withal; he commonly fits and fings upon the edge of a barn, or in a tree near cowhouses; he must have a large cage made with very close wire; he ought to have one fide of the cage made like a squirrel house, and have it lined with coneywool, dog-skin, or any thing that is warm. These birds breed about the beginning of May, they make their nests of green moss, in the shape of a high crowned hat, and line it with some small hair, wool, and moss at the outside; they make a round hole in the side to creep in. I have known fifteen or sixteen eggs

never took above seven or eight young ones out of the nest. If you have a mind to raise them, let them be very well feathered, and feed them with Nightingale's victuals, which is the properest and the best food, only give them theirs smaller, because they are a less bird. I have known them kept two or three years in a cage, and sing as if they were in the fields; if you find them out of order, give them an ear-wig, small spider, or slies.

To know a Cock from a Hen.

WILL not be too curious about; choose the bird with the largest eye, or if you keep them some time, the cocks will record. This is all that I shall say concerning the Wren, only feed them with Nightingale's food, and he'll answer your expectation, and sing most of the months in the year.

By Suited the Case of the Control of the Control

The state of the s

A TO THE STATE OF THE STATE OF

The large Tom-Tit, by some called JOE-BENT.

HEY commonly frequent about farmers yards, cow-houses, or orchards; they are a hardy bird, and you may bring them up with any thing. I have fed them with bread and milk, or bread and cheese, and when grown up larger, with hemp-seed; they are a pleasing bird, and have a pretty fort of a song; and, in my opinion, the best victuals for them is that given to Wood-larks; you may catch them with a lime-twig, as you do a Robin.

The RED-START.

Ommonly frequents the same places as the Wren, and is a very beautiful bird; the hen is almost the colour of a Nightingale; the cock has a black tail; he is very handsome and beautiful, has a fine melodious song, and doubles his notes very fine: he must be brought

brought up, and fed with the same victuals as the Nightingale, and then he'll answer his keeping.

The BLACK-BIRD.

HIS is a very fine bird, and for the building and breeding any country boy knows how it is; they breed very soon in the year: at the latter end of March I have had young ones; you may take them at ten or twelve days old; in the country they commonly feed them with cheese-curd, or white bread and milk; my way of feeding them, is with sheep's or ox's heart, or any other fort of lean meat, cut very small, and mixed up with a little bread; while they are young you must make their victuals moist, and feed them once in two hours; you must be sure to keep them very clean, and take their dung away every time you feed them; if you find their nest grows dirty, take them out and put them in clean straw; this bird is like all others, if he be kept nasty, he seldom answers the end; E 2 you

you must part them as soon as you can: when they are grown up, you may feed them with any thing of flesh meat boiled, raw or roasted; you may likewise bring them up to Wood-lark's victuals, but I think flesh-meat, mixed with a little bread, is best. This bird is a stout, strong bird, and has a very pleasing note of his own; you may learn them either to whistle, or play a tune to a pipe, which I have heard some do very fine; he'll whistle about four or five months in the year, and is very delightful to his keeper, if well learned; he is a very hardy bird, but if you find him out of order, give him a large spider or some wood lice; you may likewise put a little cochineal in his water, which is very chearful and good; you may give him two or three spiders in a day, and likewise sive or six hog lice; but if you give him too many in one day, it. will take him off other food, and do him more harm than good. to place many and small area story

The rest of the same and the sa

How to know a Cock from a Hen.

COME say, the uppermost bird in the nest is a cock, others say, the nestling is a cock; some chuse them by their wings, others by their heads, or full eye, but I find all this groundless; my opinion is, to take the blackest bird in the nest, which, when you see them altogether, you may easily discover, for the cock will be confiderably blacker than the hen.

There are two forts of Black-birds, a black and a grey fort, the hen of the black fort is commonly as black as the cock of the grey fort; however the cocks of both are blacker than the hen, but the blackest sort I take to be the best, and whistle the longest.

The Thrush, in some Countries called the THROSTLE

F these birds there are three or four forts; the first is a red wing, the next is what is generally called a Song-Thrush, E 3

Thrush, and builds in woods or orchards; another is the small blacker fort, and builds upon the heaths or commons; the next is called the Measle-taw Thrush, very large and handsome, better for the spit than for a song. A Wood-song Thrush is a very fine bird, and sings nine or ten months in the year; he builds his nest with moss on the out-side, and commonly clay or cow-dung in the infide. .The Heath-Thrush is much of the same nature, only he builds his nest in the furzes. This bird breeds very soon in the year; I have had young ones in March; they are fed with the same food as a black-bird; he is subject to the cramp, especially if kept dirty. I have had those that could not stand for a fortnight, yet with great care I have brought them to be fine birds. When I find them cramped, I put fern in the bottom of their cage, and feed them as they lie, and turn up the fern as often as they are fed; if you cannot get fern, put clean straw at the bottom, and by keeping them clean, they will soon come to their legs; if you find them cramped, feed them with better victuals as Nightingale's sheep's heart and

and egg chopped very small. I cannot give an account how to know a cock from a hen, only as soon as they begin to feed themselves, they begin to record, both cocks and hens; the cock will get upon his perch, and fing his notes low for some time, the hens will do it only by jerks, and make us believe they will fing, but to no purpose. If you are not fatisfied which are the cocks, keep them till after moulting, which is about Bartholomew-tide, for as foon as they have done moulting, the cocks will break out strong in song. I have had them sing out like an old bird, a fornight or three weeks before Michaelmas; they will fing in winter as well as summer. They have very pleasing notes and a good fong. I have known them learn the Nightingale's or Wood-lark's fong, and divers others. Of these several sorts of Thrushes, in my opinion the Heath-Thrush is the best, and comes nearest to the fong of a Nightingale; and if they are fick, use them in the same manner as I told you by the Black-bird.

The STERLING.

but may be taught to whistle, E has an ordinary fong of his own, pipe, or talk. I have heard them talk as well as a Parrot, and pipe to several tunes. This bird builds in trees or pidgeonhouses, or in the sides of dwellinghouses; some say a Tree Sterling is best, and others a House Sterling; others prefer those that build in a pidgeon-house. But in my opinion they are equally good, provided they are brought up young. If you would have very good ones, take them about doubled pen-feathered, that is, about ten days old, put them in a basket in some clean straw, and keep them clean and warm; talk to them what you would have them learn, every time you feed them. I have had them begin to talk as soon as they fed themselves, or rather before. You must feed them with ox's heart, or sheep's heart, as I told you by the Black-bird. They must be fed once in two hours, and give them five or fix pieces at a time, as big as a horse-

bean

bean, and when they come to feed themselves, you may bring them up to Woodlark's meat, and give them a little flesh meat twice or three times a week.

Some are of opinion that they will learn best in a dark cage, but I have known them taught in an open one; fome will tell you, that you must cut their tongue, but there is nothing at all in it, for I have heard more talk that have not been cut, than those that have.

This is a very pleasing bird, and hardy withal, yet I have had some of them so troubled with fits, that they have fell down and beat themselves about the cages, and if I had not taken them out, they would certainly have killed themselves. The best thing to prevent this, is to give them now and then a spider or a meal worm, and to put a little saffron in their water. source of the first that the state of the state of

To know a Cock from a Hen.

PEN his mouth, and look under his tongue, and you will find a black stroak which you may perceive quite through, if it be a cock, but the hen has little or none; when they come to moult, the cock loses that black stroak; the feathers when moulted off the breast of the cock is very beautiful, and hath several fine colours which the hen hath not.

This bird, if well taught, is of great value. I have known them fold for five or fix guineas a piece.

The SPARROW.

His bird is as plentiful, as it is universally known. He may be brought up very tame and familiar. I have heard them sing part of the Canarybird and Linnet's note; you may rear them with any thing, bread and water, bread and milk, or flesh meat; when you have brought them up, feed them with hemp and canary feed. If you find them. out of order, give them whole oatmeal among it. This is all that you need feed them with, then they will dung hard and fine as a Linnet, or any other seed-bird; they are very hardy birds, and easy to be brought up. If you would have them learn under any other bird, take them out of the nest at double pen-feather. I have known

known a sparrow whistle good part of a tune sitting upon a man's singer, being of such a tame nature.

To know a Cock from a Hen.

HEN you take them, look under the throat down to the breast, and you will perceive some to be blacker than others, those that are blackest are the cocks. When they have moulted off, you will easily discover the cock from the hen by the blackness on the breast.

The LINNET.

HIS bird is a very fine one, and apt to learn either to pipe or whistle any other bird's note. I have heard of their

learning to speak.

These birds build upon heaths or commons, or in pasture ground; they also build among furzes. I have known a nest taken in a broom, or in white thorn, in a hedge; they commonly breed in April, and have young ones fit to take about the latter end, they have commonly four or

five

five young ones, and likewise three or four nests in the year; you may take them about eight, nine or ten days old, if you would have them learn. They are a very fine bird for learning the song of a Wood-lark. I have heard them sing so fine, that I could not tell which was the Wood-lark, or Linnet; they likewise take the canary-bird, or any other bird's song.

There is your sweet song Linnet, which I have known sold for three or four guineas a bird; the sirst original was taken from the Sky-Lark and Tit-lark, and se-

veral other birds.

How to feed them.

THEY are fed with several sorts of food; my way of seeding them is with a little white bread soaked in water, and when you have done, strain it out of the water, and boil it up with a little milk, to make it very stiff like a hasty pudding. If you have a small quantity of birds, you may make but little, because it sours in two days time, and sooner if you put seed in. I generally put seed in, as much

as will serve about half a day; take a little rape-seed and soak it in water about ten or twelve hours, then scald it or boil it up; then strain your water from it, and take a little and squeeze it with a knife upon a trencher, or with a glass bottle upon the table, then take a little and mix it among the bread and milk; feed them once in two hours, from fix in the morning till eight o'clock at night. When they come to feed themselves, give them a little of the scalded rape-seed; after they have fed themselves about a week, you may give them a little of the Wod-Lark's victuals, by reason too much foft victuals will make them rotten; the fooner you can break them of bread and milk the better; nevertheless, you may give them some Wood-lark's meat, or some other soft victuals, till they are able to crack their feed, which I look upon to be at fix or feven weeks old, before which time they are not able to live upon hard feed.

THEN you have the nest together, you may observe them that are the brownest upon the backs, and likewise if you open their wings, you will find the second, third, or fourth feather white up to the quill; those birds that are fo brown on the back, and shew quite white up to their quill, never fail of being cocks. The hens have a little cast of white, and a little brownish upon their backs, but not so much as a cock, for which reason if you see the nest together, and observe them well, you will see the difference better than I can describe to you, that is, by the white feathers in the wing, and the brownness of the back.

How to catch Branchers.

OU may go to their breeding places, or fomewhere near them, where you can find a piece of turnip-feed, or a bank of wild rape-feed, or a place where the old one brings them to water; there you may lay your clap nets, and catch both

both old and young, but young especially, which are best, if you have good

fong-birds to bring them up.

When you have got them, put them in a store cage fit for that purpose, and get some of the seed which you find them to feed upon, and likewise put into the cage a little hemp-seed ground or bruised; set them in a window or place convenient, where they are not disturbed, seeding them with this victuals for three or four days, then cage them up, either in back cages, or any other, which you have most convenient; feed them with rape, and a small quantity of canary-seed amongst it, with some few corns of hemp. This is all to feed the Nestling, Brancher, or Linnet, if well; if not, you may give them a little lettice-feed, or beetleaf; you may likewise put them a small matter of liquorice or saffron in the water. You may give them a small matter of feeded chickweed now and then; if you find them troubled with a loofeness give them a little chalk, and a little bruised hemp-feed, with now and then a stalk of plantane-seed. I could mention several other things concerning a Linnet, but this

this is the best and readiest way that I am acquainted with. I have taken observations of it these thirty-four years.

How to stop a Linnet, or any other Bird, and make them sing after they have moulted off.

HE stopping of a bird is of great use to the bird-catchers, and likewife fuch as would have them a sweet fong, you must let your bird, before you stop him, be a year old or better, and keep him in a back cage, so that he may be able to find his victuals in the dark; you may put him in a stop about the middle of May. The nature of a stop is, to have a case made sit for the purpose, then put in your birds and leave the door open till you are satisfied they have found their meat and water, then darken them by degrees 'till they are quite dark, and when you see they have found their meat and water then cover them with a blanket or any thick cloth that is warm, keeping them very hot; you may look at them, once in two or three days, give them fresh water, and blow their seeds:

It is best not to clean their cages above once a month, by reason the hotness of their dung forces them to moult. You should take a bit of stick or knife, to keep their dung down, to prevent dirtying their feathers, and then let them continue in this close stop for three months, by which time they will be moulted off, then open them a little and a little by degrees; take off the blanket first, and let them stand so three or four days, then open the door a little way, take them out and clean their cages, after that put them in again with the door half open for two or three days longer, then take them out and put them in a warm place, so that they come to the air by degrees; put them a little beet-leaf and liquorice in the water, this with a blade of faffron, which is a very good thing, when he is drawn of a stop. After you have drawn them out of a stop, you will find them to fing still more and more, forthat they will be for the bird-catcher's use, or to learn any other birds their song; those birds will continue in fong 'till about Christmas, or after, by which time most young birds are come to their fong. The The bird-branchers are very plentiful to be catched in June, July, or August, and likewise flight-birds about Michaelmas in great quantities: I have known forty or fifty dozen catched in one day with clap-nets.

The Goldfinch.

E commonly builds in orchards or hedges, makes a very pretty nest and lines it with very fine down or wool: he breeds in April, and has three or four nests in a summer; if brought up from their nest they'll take their song from a Wood-lark or Canary bird, or from any other bird; they are likewise a very fine bird to draw their water, and open their box for their victuals, if you bring them up from their nest. You may feed them with white bread and milk, according to the nature of a Linnet, only grind a little canary-seed, and put the flour of it in the room of rape-feeds, feeding them a little once in an hour or two, three or four bits at a time, for their stomachs will not bear a great deal, they being very tender birds;

birds; you may likewise put some Naples biscuits among it, keeping them with this sort of victuals till they are sive or six weeks old, then give them a little canary-seed, and a little soft meat besides, but bring them to canary-seed alone as soon as you can, which is the best food for this bird. Some feed them with hemp-seed, but it is apt to make them rotten, and decays their colour very much. This bird is very merry, and has a pleasant song of his own, and were they not so plentiful, they would be more esteemed than a canary-bird; they have been sent abroad to the Canaries, and other countries, where they are more admired than Canary-birds are in England.

This bird is catched feveral ways, and at different feasons of the year, they being so familiar, that in a fortnight after they are taken they'll sing with you. Young ones (which are called Grey-pates) are caught in June, July and August, but the best time for catching them is about Michaelmas. They are most commonly taken with clap-nets as you do Linnets, in thistley fields, where they are generally found in flocks, for the seed

of thistles is what they seed upon most part of the winter. They are tender in the summer, but hardy if catched in the winter, and will sing presently. They are fond of hemp-seed, and are generally sed with it at sisse, but should be broke from it as soon as possible. They will sing very stout with hemp-seed, but seldom live very long or moult well; if you bring them up to canary seed, they are more likely to answer your expectation.

To cure them when sick.

IVE them a little groundsel every day, and a blade of saffron in their water; if they are loose, give them a little chalk, stick it in the side of the cage, or crumble it at the bottom; likewise give them always red sand or gravel at the bottom of the cage, for the seeds being oily, this qualifies and takes the oil off their stomachs. You may likewise give them a little lettice-seed, or this seed, which you may find in the great thisse.

To know a Cock from a Hen.

young by the blackness of the wings, the edges of the cock's being black up to the shoulder, and of a fine gloss; they are also black over the bill, and under it red; the yellow and red, and all their colours are brighter than the hen's, she has a little on the wing, but its grey to a cock's; they are also grey over the bill, where the other is black. You may stop these birds as you do Linnets.

The Bullfinch.

THIS is a very fine bird both for beauty and learning fongs, but his natural one is very indifferent. He may be learned to pipe almost any tune at command, you may also learn him to talk. Some are taught to speak and whistle at command; and when they have once got a tune, they seldom forget it, not even if they hang amongst other birds. They are very valuable, if well brought

70 The NEW and COMPLETE

up, and are sometimes sold for nine or ten guineas a bird.

To find their nests.

HESE birds have no young ones till the latter end of May, or beginning of June; they commonly build in an orchard or wood; they make but an indifferent nest, and have young ones two or three times in a fummer, and four or five each time. They are not very plenty in England, for the gardeners destroy all they can, being very mischevious in destroying wall-fruit. In some parts of this kingdom the church-wardens give twopence for every Bullfinch that is killed to those that chuse to demand it, which perhaps is one reason of their scarcity. In fome countries they are called Noops, Thick-bills, and Hoops, from their own notes, because naturally they have a hooping fort of a note. In London we call them Bullfinches, by reason they have a thick, black head, and a stubbed short bill; the cock has a very red breast.

How to feed them.

TOU may feed them and bring them up the same way as you do a Linnet, only when they feed themselves, give them more canary-seed than a Linnet. Generally give them the better half canary-feed, and the rest rape; and if you find them out of order, give them a little fine hemp-seed, and a little saffron in the water; give them likewise a little Woodlark's victuals, the same as you do a Linnet. Take them when about twelve or fourteen. days old; when kept four or five days, or a week, you may begin to pipe, whistle, or talk to them what you have a mind they should learn. They are birds that foon learn. A gentleman that piped to one from a fornight old to two months, and then being obliged to leave his bird and go into the country for fix months, before he returned his bird whistled near three parts of the tune, notwithstanding he had no-body to pipe or tune to him in his absence.

72 The NEW and COMPLETE

To know a Cock from a Hen.

THERE are several opinions, some say by the whiteness of their rump, or others by the blueness of their back, and others by a cast of reddish feathers under the wing. The best way that I could find, was to pull about half a dozen off their breast when they are about three weeks old; then in about ten or twelve days after, you will perceive the feathers to come where you have pulled, as red as blood, if a cock; if a hen, they will come of a pale brown; though I have known both to whistle and speak, yet a cock is far more beautiful, and better for learning. This bird, in my opinion, is the best for learning of any we have in England.

The CHAFFINCH.

HE is a very stout bird, and very lavish in his song, but has various notes. The Essex are the best; there has been known some brought out of that county county, and fold for a guinea and a half, or two guineas a-piece; they commonly learn them a fong, which is called Whitford Tune, and Chopping Lim. They are often brought up under other birds, called Sweet Song Chaffinch. The wild ones do not fing above three months in the year, but those that are brought up nesslings, or branchers, will sing six or seven months in the year.

They breed almost in every hedge, and have young ones at the beginning of May; they breed twice or three times in the year, you may take them about ten or twelve days old, and feed them as you do a Linnet. They are a very hardy bird, and if you would have them branchers you may take them in June or July; you

in a broad lane, with clap nets, as you do Linnets.

How to know a Cock from a Hen.

may take them at a watering place, or

IF you have a nest, take the bird that is the highest colour, and the brightest white in the wing, likewise the brownest in the back; if you are curious to know

G

the cock, as foon as themselves, pull five or fix feathers off their breasts, and if they be cocks, in ten or twelve days time they come out red, if hens, they will come much the same colour as they were before; likewise, if you have branchers, and do not know the cocks from the hens, you may do the same, for all cocks are of a purple red on the breast, and the hens grey.

The GREEN-BIRD.

led the Greenfinch or Green-Linnet, is a very strong hardy bird, and sitter for the spit than for singing; he is a very sine bird to ring the bells in the cage; if you bring him up from the nest he will learn either to whistle or pipe, or sing any bird's song; you may feed him with the same victuals as you do a Linnet or Chassinch, and if sick, the same victuals that cures a Linnet will cure him. You may catch them with clap-nets, as you do Linnets, about Michaelmas, in the common fields.

The

The AVERDEVINE.

is much the colour and bigness of a grey Canary-bird; they do not breed in these parts, nor can I give you any account where they breed, but I believe they come from the north, being commonly catched here in the winter; they frequent here the alder trees by the riverside, and are to be catched as Linnets or Goldsinches; they feed upon the same seed as the Chassinches or Linnets, but they love the white seed; the cock has a black spot upon his head, and a little black under his throat.

The Twite.

THIS is a very merry bird, and fit to keep among Linnets or Gold-finches, or any other small birds; they are continually singing, and provoke others to sing; you may feed and catch G 2 them

76 The NEW and COMPLETE

them as you do Chaffinches and Linnets.

The cock has a red fpot just upon his rump and the hen hath none.

The RED-POLE.

HIS is a pretty little bird, the cock hath a very red breast, and a red head, he sings a pretty sort of chattering song, but, in my opinion, hardly worth keeping. They are sed with the same sood as a Chassinch or a Linnet. These three last birds come from the north against winter, and return back in the spring; some say, they breed in France, and call them the French Line net, but I believe they breed in Scotland, or those north parts, by reason of their coming here against cold weather.

Having now given an account at large of the nature, fongs, and manner of catching, feeding, and breeding of English birds, I shall proceed to give you a brief account how to order foreign ones, according to the best of my knowledge,

and experience, which has been for near fifty years.

The CANARY-BIRDS.

HESE birds we formerly had brought from the Canaries, and no where elfe, and are generally known by that name; but we have abundance of that kind come from Germany, so we call them by the name of the country, German birds, but I believe their first original were brought from the Canary islands. Those brought from the Canaries are not so much in esteem with us as formerly, for those brought from Germany and France far exceed them in handsomeness and song. German birds having many fine jerks and notes of the Nightingale and Tit-lark.

The nature of the Canary-birds is quite contrary to all others, for as other birds are subject to be fat, they never are, (I mean the cocks when in fong) for the great metal of the bird, and his lavish finging, will hardly fuffer him to keep

flesh upon his back.

 G_3

How

How to chuse a Canary-bird, and to know whether he hath a good Song, likewise whether a Cock or a Hen.

A S to the colour I shall say least, that depending entirely on the fancy of those who buy them; I shall only mention some of the terms used by Canary-bird Fanciers, viz. French, fo called from the breed of some that a few vears ago were brought from France, but fince much improved in the colour by our breeders at home; the finest fort are of a beautiful bright yellow, bespangled with an intermixture of jet black spots, having little or no white about them. The next is the mealy bird, fo called, from the mealy kind of colour which feems to cover all his feathers, fo that he has no other colours perfect, being covered with that mealy cast, though often in breeding, they throw as fine a feather to their young ones as the best.

The next are your mottled ones, being mostly white, mottled here and there with black or brownish spots; some all white, some all yellow, some the colour

of buff, some of an ash colour, and some grey; these last are the most contemptible for their colour; but yet are generally as good in nature as any; but as I faid before, the choice of colours only depends on the person who is to be the buyer.

To chuse a Bird in health.

IN the first place, let him be a young fprightly bird, and strait, standing with vigour, like a Sparrow-Hawk, not subject to be fearful, but after flinging himself two or three times from the perch to the top of the cage, he will shake himself, and undauntedly strut, as if void of all fear, and appear vigorous, fleek and strait; but to observe this well, fet the bird at a convenient distance from you, that this may not wholly be the effects of fear; for a bird that is a little fick will do what is above-mentioned, and appear sleek and trim, during the time of his surprize, and while you stand too near his cage, by the craft of the person who would sell a fick bird; by this means you may be deceived; for by their flurt-

So The NEW and COMPLETE

ing at the cage with their hand, as if pointing at the bird to show the beauty of him, he will stand strait, draw up his feathers sleek, and appear as I have before-mentioned, and so deceive the buyer; but by hanging him up, or setting him at some distance from you, if he is not well, he will presently shew it, by crouching down, hanging his wings, appearing all of a heap, and very rough in his feathers, and putting his head under his wings; all these are bad signs, and denote the bird unhealthy. There is another way to know if a bird be in health, and that is by his dung; when he is taken out of the store-cage, observe well if the bottom of the cage be clean, then take notice of the dung, and the manner of his dunging, for if he bolts his tail afterwards, like the Nightingale, it is a fign he is not in perfect health, although he may fing for the present; but if he does not, and his dung appears thick, hard, round, and being of a fine white on the outfide, and darkish in the middle, and quickly dry, then it is a very good fign, for a feed-bird feldom dungs too hard, unless he be very young. The

The bad symptons of this bird's dunging, are, first, his bolting his tail like
the Nightingale; the next is, if he dung
thin like water, with no thickning in it,
that is a bad sign; and lastly, if he dung
only a slimy whiteness, with no black in
it, it is a very dangerous sign that death
is approaching; and that he will not continue long with you.

To chuse a Bird for song.

him, then you are fure you have not bought a hen for a cock. As to the fong, I count it good, when it is begun fomething like the Sky-lark, then running on the notes of the Nightingale, which if he begins well, and holds it long, nothing in my mind can be fweeter; but as the fancies of men are as different as either the colours or fongs of the bird, fo their eyes and ears are the best judges for their fancies, yet I shall not fail to give my opinion and judgement to those who have not had experience in this delightful and innocent amusement.

The next observation is, a bird that begins with the sweet of the Nightingale, and ends with the song of the Tit-Lark, is both harmonious, sprightly, and very

delightful to the ear.

These notes are distinguished by the Sweet Jugg, followed by a swelling slut, with the water-bubble, and then the sprightly song of the Tit-lark, chewing and whisking several times in a breath; a bird that will go sweetly through his song in this manner, without breaking off, may be said to be a good song bird.

Some fanciers are pleased when a Canary-bird only sings the song of the Tit-lark, which is indeed very pleasant and delightful. Others only fancy that bird which begins like the Sky-lark, and holds his song all the while in the same manner, having long notes and sweet, but I think not much variety in it.

If these instructions may not at first truly qualify a person, let this serve in general, that they chuse what is most agreeable to their own ear, and that which holds the song the longest, without breaking off short, with harsh scraping

notes, or disagreeable whining.

To

To know a Cock from a Hen.

THE first and most certain method, is the bird's fong, which is a neverfailing argument. If they hear him fing, he is a cock, for the hens never fing, although some have, by a fort of jabbering noise, which some make better than others, deceived not only unskilled persons, but those who have thought themselves

complete fanciers.

The way then to distinguish between the cock's fong, and the hen's jabbering is, that the cock, let him fing ever fo indifferent, almost every time he strikes a note, you may easily perceive the pasfage of his throat to heave with a pulfive motion, swelling like a little pair of bellows all the time he is warbling out his pretty notes, which never happens to a hen; for let her make what noise she will, and refemble finging ever so well, this motion is never observed in her throat as it is in the cock's.

The next observation is, the largeness, vigour, and majestic carriage of the cock, which he generally shews if in health,

hen ger bund he lail health, by stretching his neck and head to the utmost extent. The hen is not only smaller and shorter every way, especially from the legs to the vent, which seems to come down from the legs, under the belly to the vent, shorter, and as it were, of a more sudden roundness, occasioned by nature, being larger in that part, for containing and laying their eggs; whereas, the cock appears in that part more slim and longer, coming down from his legs to his vent, gradually taper; ending in a small point under his tail.

Another thing to be observed is, if you blow the seathers of both you will find the vent of the cock to appear longer than that of the hen, and the orifice not quite so wide.

The next and last observation is from the colour above the bill of the cock, which is a more bright yellow, as likewise under his throat, and on the pinion of the wing; for let the birds be of what colour they will, they always have a little yellow almost upon their bills, and under their throats, and a stroke over the eyes, which

which in the cocks is a bright strong yellow, but in the hens it is more languid. and pale.

Remarkable Deception in these Birds.

OR want of due observation of the above-mentioned rules, a person who supposed himself a complete judge, put two hens together to breed, supposing one of them to be a cock, and would not be convinced by all the arguments which were used to the contrary, by those who well knew the difference by these observations, till at last his supposed cock had laid more eggs than her fifter hen, which made him acknowledge his obstinacy, and own himself a subject for laughter.

many fill the second was Goncerning the Canary-Birds when they begin to build, or those you intend for

HESE birds breed four or five times in a year, and commonly lay four, five or fix eggs at a time; the most young ones I ever knew brought up at a time, 11

in one nest, was six; they set sourteen days, including the day that you set them. Your birds must be both yellow matched together, and stout, otherwise they will breed very small, but if your cock or hen be yellow and small, then match it with a large mealy one, which will strengthen the breed. I would advise you not to match your birds till the middle of March, and turn them up the latter end, which is time enough, let your places be fitted up in this manner: in the first place, you must have a convenient cage, or else prepare a room which will be convenient for that purpose. If it be convenient, let it be towards the fun-rising, because the birds love warmth, and fun-shine in the room in the morning makes the room warm all the day. You may make an out-let in the window towards the fun-rising, where they may go out and have a little air when they please. I would not advise you to overstock the room; but if it is pretty large, you may turn in ten or twelve pair. You must prepare your room aster this manner, throw red fand or gravel at the bottom, and if you please, you may set up a tree

in the middle of the room; you may likewise nail up nest-boxes and backcages in every corner of the room; for some of the birds love to breed in the dark, and others in the light; you must be fure to put as many more boxes and cages as you have pairs, for they love to have choice, and yet they are apt to go to nest again before the first fly. If there is not conveniency, they are apt to make their nest upon the young ones. I have lost a nest of two or three young ones upon that very acount; when I went to look for birds, I faw none but the nest made in the same box, which made me wonder what was become of my birds, and pulling out the nest, I found them all smothered under it; they will likewife build in the tree which is in your room, and if you do not tie it in several places, the nest, eggs, and young ones. will be apt to fall through. I have lost many birds after this manner. But, in my opinion, the best way to breed them for pleasure is in a cage made for that purpose, which ought to be as large again as what we call breeding cages, so that they may have room to fly, for H 2

he more room the better. You must likewise have two boxes to make their. nests in, for they are apt to go to nest again, before the young ones fly, and being two boxes, the hen will build in the other box, and the cock will feed the

young ones.

If you chuse to bring them up by hand, feed them with the same food as you do Linnets, and take them away at twelve or fourteen days old; for if you let them lie longer with the old ones, they grow fullen, and will not feed; but if you defign to let the old ones bring them up; let them alone till the old ones hatch again; as foon as they have young ones, I would have you take the former away, or else they will spoil the young ones by pulling them out of their nest, or picking them as they lie. When you trke them away, you must make their victuals very good, boil an egg hard, then take a little of the yolk, likewise about as much of the best bread, and also a little scalded rape-seed, about a third part of the rape-feed as there is bread. When it is boiled foft, you may grind it in a mill; if you have but few birds, you may

are in all covered with down and small feathers, for the young ones only the first year cast their down and small feathers, and the second, their tail and wing feathers; they sometimes grow very sick by means of a little pimple growing on their rumps, called the Pip on the tail.

The best way is to let it have its course, and break itself, unless the bird is bad indeed, then he must have speedy relief.

They have fometimes yellow scabs about their heads, and sometimes their eyes; when this distemper spreads, nothing but time and cooling food will carry it off. dead of the second of the seco

Several extraordinary Remedies for the Distempers before-mentioned.

TT were to little purpose to know what distempers Canary-birds are troubled with, unless you were acquainted with some things which might give them ease.

The first is the surfeit, which you will perceive by blowing up the feathers on the belly, it will be swelled, and if so far gone, it will be black. Give your bird at first a great deal of whole oat

meal

meal amongst his seed; repeat this three or four days, in order to cleanse him; put at the same time some liquorice in his water; but if you perceive him too laxative, instead of oatmeal give him mawseed and bruised hemp-seed, because these are astringent. You may give him a little groundsel and saffron in his water. Boiled milk and bread, with maw-seed in

it, is very good.

-2 This is an excellent paste for a bird, either under the distemper called the surfeit, or the common swelling: take a small quantity of millet-seed, the same of hemp, as also of maw, rape and canary; let these just boil up, rince them in cold water, to cool them; then boil a new laid egg hard, bruise the white and yolk together, take about a quarter of the egg, making it very small, put it to the feeds, and add as much more letticefeed as any of the others. Give this to your fick bird, and it will in all probability answer the desired effect. But you must observe, in the morning early before you give this composition, to let your bird drink two or three times water in which you have put some treacle, which

which you may order thus; take out your leaden pot or glass over night, when your bird is at rest, put the quantity of two peas of treacle in his water, but let his water be clean from any thing else, and when you have observed him drink two or three times, take out the water and treacle, rince your pot and put in some clean water; this do three or sour mornings before you give him the above-mentioned composition.

How to order them when in Moult.

TARMTH and good nourishing food are of the most use in this distemper, for that reason let your birds be where the fun shines very strong on them; or if it does not, let your place or cage be kept very warm daring the whole time of their moult; let them be where no wind can come to them, for the least cold may chance to kill them. Give them Naples-biscuit, bread and egg, bruised hemp seed, lettice-seed, and maw-seed; band in their water, put a little saffron. If the weather is very hot, during the time of their moult, leave out 1. (3 the

the saffron, instead of which steep a small piece of liquorice, and give them plantain and lettice-feed together. The reafon fo many things are prescribed is, that fick birds, as well as fick men, ought to be humoured with what pleases them, which often proves the best physick; if your bird should be very bad, let him have Naples bisket steeped in white wine, and force a small drop down their throats, finely tempered in your mouth; this last must not be used, unless his case be dangerous. When your Canary-bird is troubled with the little pimple on his rump, called the Pip, and you observe tokens of fickness in him, when it is ripe and full of matter, take the point of a fine needle, and let out the matter with as much gentleness as you can; squeeze it all out; afterwards, by taking a bit of sugar moistened in your mouth, and put on the fore will heal it. There is a distemper that sometimes comes on their heads, which is a yellow kind of fcurf, and if full of matter, is covered with little scabs; this must be supplied with oil of sweet almonds, sweet lard, fresh butter, as it comes out of the churn, without falt 41 3

or capon's greafe; anoint it with any of these things, and administer the same food, as lettice feed, &c. As I have in some places prescribed cooling or cleansing things, and in others what is warm, dry, and nourishing, I think it not amiss to explain myself, first, as to what is cooling, as chick-weed, but be not: over lavish in this, give plantain and lettice, or either of these, and some scalded rape-feed, and put a small quantity of whole oatmeal in their common hardfeeds, and for their drink, water with a

small bit of stick liquorice in it. All these are fine cooling things, but: must only be given in proper seasons, that

is, when the spring is pretty forward, just before breeding time, or in extream hot weather, but do not continue these above two or three days, lest you make them scour too much, which if you do, draw

some of their tail feathers, put saffron in their water, maw-seed in the tin pan, turning the drawer you put the victuals in upfide down, covering all the top of

the drawer with nothing but bruised hemp-seed. This is a sovereign remedy

for

for a looseness, though some will give them a head of groundsel.

The only nourishing and drying food, is Naples biscuit alone, or mixt with

hard egg.

Bruised hemp-seed, millet-seeds, maw-seeds, bread and eggs, and rape-seed mixt together, the rape-seed being scalded, to mix the better with the bread and egg, in the same manner as I have directed several times before. While the cold winter season lasts, let them have sufficient of these warm and nourishing things; and now and then a little saffron in their water.

There are some that make use of several things not here mentioned, which is more the effects of fancy than good judgement; and by such sort of practices overdo the business, by killing their birds with what is not proper for them, which makes out an old English proverb, that Too much cooking spoils the broth."

The RED-BIRD.

Is commonly called a Virginia Night-ingale, they are very plenty in Virginia; they fing a very pretty fong something like our English Nightingale, but not fo well; they are very beautiful birds, and of a pretty large fize, and almost as big as a small thrush; they are of a very fine red upon the breast, and have a red tail, and a very fine large topping on their heads, they are all over of a reddish colour; they catch them in Virginia, in the snow, with a snare, as we do Larks here in England: they sweep the snow away, and bait the place with Virginia wheat, or the chaff of it, as we do with chaff or oats for Larks in England; when they take them, they commonly feed them with Virginia wheat. When we have them in England, we feed them with hemp and canary-seed; if you can break them off the hemp, and feed them on canary, it is the best. I keep them in a large cage, and give them a little Wood Lark's

200 Complete BIRD-FANCYER.

Lark's meat in the pan, and now and then a little of our Nightingale's food, especially in the time of moulting; or if they should be sick, I give them a spider, or a meal-worm.

The cock is of a very beautiful colour, and the hen more pale. The hen fings finer than the cock, but not so loud nor so long. I have known several attempted. to breed them here in England, but not to perfection.

the more willy a family so no de Evil-FINIS.

and the Local State of the Posts

TELL DINES A STORE

and washing thought the letters

